SAFETY DATA SHEET



According to Regulation (EC) No. 1907/2006

Version #: 01

Issue date: 21-March-2023

Revision date: -Supersedes date: -

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

LHM+

of the mixture

Registration number

UFI: KJTW-X17S-U001-61FX

Synonyms None. SDS number 24

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesHydraulic fluid.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier

Company name Federal-Mogul Global Aftermarket EMEA by

Address: Prins Boudewijnlaan 5

B-2550 Kontich

Belgium

Contact person: Mario Garelli – Product Manager Braking Products EMEA

E-mail: mario.garelli@driv.com

Telephone: +39 045 8281 354

1.4. Emergency Telephone: INFOTRAC: 001-352-323-3500

Belgium Poison Center (Centre Antipoison): +32 070 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Aspiration hazard Category 1 H304 - May be fatal if swallowed

and enters airways.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics <0,03% aromatics, Lubricating oils

(petroleum), C15-30, hydrotreated neutral oil-based

Hazard pictograms

Signal word Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

Prevention

P102 Keep out of reach of children.

Response

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331 Do NOT induce vomiting.

LHM+ SDS Germany

957459 Version #: 01 Revision date: - Issue date: 21-March-2023

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental information on

the label

EUH208 - Contains (4-nonylphenoxy)acetic acid. May produce an allergic reaction.

2.3. Other hazards This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a concentration equal to or

greater than 0.1% by weight.

The mixture does not contain any substances having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1% by weight.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based	60 - 100	72623-86-0 276-737-9	01-2119474878-16-XXXX	649-482-00-X	
Classification:	Asp. Tox.	1;H304			L
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics <0.03% aromatics	10 - 30	1174522-45-2 934-954-2	-	-	
Classification:	Asp. Tox.	1;H304			
(4-nonylphenoxy)acetic acid	< 1	3115-49-9 221-486-2	01-2119982392-31-XXXX	-	
	1;H318, SI		mg/kg bw), Skin Corr. 1B;H3 quatic Acute 1;H400(M=1),		

List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

M: M-factor

Note L - The harmonized classification as a carcinogen does not apply because the substance contains less than 3 % DMSO extractable material as measured by IP 346.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. In case of persistent throat irritation or coughing or after inhalation of oil mist:

Seek medical attention and bring along these instructions.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth thoroughly with water and give large amounts of milk or water to people not Ingestion

unconscious. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and

delayed

Aspiration may cause pulmonary oedema and pneumonitis. Be aware that symptoms of chemical pneumonia (shortness of breath) may occur several hours after exposure. Defats the skin.

2/9

Exposed individuals may experience eye tearing, redness, and discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Will burn if involved in a fire.

5.1. Extinguishing media

Suitable extinguishing

Water spray, dry powder or carbon dioxide.

media

Unsuitable extinguishing Water jet.

media LHM+

SDS Germany

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing should be worn when fighting chemical fires. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.

Special fire fighting

procedures

Use standard firefighting procedures and consider the hazards of other involved materials.

Containers close to fire should be removed immediately or cooled with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Follow standard emergency procedure. Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Wear appropriate personal protective equipment (See Section 8).

For emergency responders

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Remove sources of ignition.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage with oil-absorbing material. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated area with oil-removing material.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid inhalation of oil mist and contact with skin and eyes. Avoid prolonged and repeated contact with oil, particularly used oil. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets. Use work methods which minimise oil mist production. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protection, see Section 8 of the SDS. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store between 15°C - 30°C. Store away from incompatible materials (see section 10 of the SDS).

Storage class (TRGS 510): 10 (Combustible liquids that cannot be assigned to any of the above

storage classes)

7.3. Specific end use(s)

Hydraulic fluid.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value	Form
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)	TWA	5 mg/m3	Respirable fraction.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General population

Components	Value	Assessment factor	Notes
(4-nonylphenoxy)acetic acid (CAS 3115-49	9-9)		
Long-term, Systemic, Dermal	0,25 mg/kg bw/day	240	Repeated dose toxicity
Long-term, Systemic, Inhalation	0,43 mg/m3	60	Repeated dose toxicity
Long-term, Systemic, Oral	0,25 mg/kg bw/day	240	Repeated dose toxicity

Short-term, Systemic, Inhalation 4,3 mg/m3

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (CAS 72623-86-0)

Long-term, Local, Inhalation 1,19 mg/m3 75 Repeated dose toxicity

Workers

Components	Value	Assessment factor	Notes
(4-nonylphenoxy)acetic acid (CAS 3115-4	9-9)		
Long-term, Systemic, Dermal	0,5 mg/kg bw/day	120	Repeated dose toxicity
Long-term, Systemic, Inhalation	1,76 mg/m3	30	Repeated dose toxicity
Short-term, Systemic, Inhalation	17,6 mg/m3		
Lubricating oils (petroleum), C15-30, hydro	otreated neutral oil-based (Ca	AS 72623-86-0)	
Long-term, Local, Inhalation	5,58 mg/m3	45	Repeated dose toxicity

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor Notes	
(4-nonylphenoxy)acetic acid (CAS 31	15-49-9)		
Freshwater	0,001 mg/l	1000	
Intermittent releases	0,009 mg/l		
Marine water	0 mg/l	10000	
Sediment (freshwater)	0,02 mg/kg		
Sediment (marine water)	0,002 mg/kg		
Soil	0,004 mg/kg		
STP	1 mg/l	100	
Lubricating oils (petroleum), C15-30, h	nydrotreated neutral oil-based	(CAS 72623-86-0)	
Secondary poisoning	9,33 mg/kg	Oral	

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection
Skin protection

Risk of splashes: Wear approved safety goggles. Eye protection should meet standard EN 166.

- Hand protection Wear appropriate chemical resistant gloves. Full contact: Glove material: Nitrile. Use gloves with breakthrough time of > 480 minutes. Minimum glove thickness > 0.2 mm. Always wear

chemical-resistant protective gloves that comply with EN 374 to handle this product. Observe good industrial hygiene practices and wash gloves with soap and water before removing them. Assess the working conditions and always consult your glove supplier for information on the most suitable type of glove for each task and the required material, thickness, and breakthrough time specifications. The use of type-B gloves in accordance with EN 374 is recommended as a minimum protection against intermittent or splash contact. Consult your supplier to find the most

suitable option for the product in question. The requirements of EN 388 must be taken into account for applications involving mechanical hazards with the risk of abrasion or incision. The requirements outlined in EN 407 must be taken into consideration for tasks involving thermal

hazards.

- Other Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory protection In case of inadequate ventilation or risk of inhalation of oil mist, suitable respiratory equipment with

combination filter (type A2/P2) can be used. Respiratory protection should meet standard EN

14387.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.
Form Liquid.

Colour Green.

Characteristic. Odour < -50 °C (< -58 °F) Melting point/freezing point **Boiling point or initial boiling**

point and boiling range

> 290 °C (> 554 °F)

Will burn if involved in a fire. **Flammability**

Upper/lower flammability or explosive limits

No relevant additional information available. Explosive limit - lower (%) No relevant additional information available. Explosive limit - upper

(%)

Flash point > 115 °C (> 239 °F)

No relevant additional information available. **Auto-ignition temperature** No relevant additional information available. **Decomposition temperature** No relevant additional information available. pН

< 20,5 cSt (20 °C (68 °F)) Kinematic viscosity

Solubility

Solubility (water) Insoluble in water.

Partition coefficient No relevant additional information available.

(n-octanol/water) (log value)

0,1 kPa (20 °C (68 °F)) Vapour pressure

Density and/or relative density

> 0,835 - < 0,855 g/cm³ (20 °C (68 °F)) Density Vapour density No relevant additional information available.

Particle characteristics Not applicable, material is a liquid.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No relevant additional information available.

9.2.2. Other safety characteristics

19,1 cSt (40 °C (104 °F)) **Viscosity**

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Stable under normal temperature conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Contact with incompatible materials.

Strong oxidizers, strong acids, and strong bases. Strong reducing agents. 10.5. Incompatible materials

10.6. Hazardous

decomposition products

None expected under normal conditions of use.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Inhalation of oil mist or vapours formed during heating of

the product will irritate the respiratory system and provoke coughing.

Prolonged and repeated contact with used oil may dry skin and cause redness. The harmful Skin contact

effects may increase in used oil.

Eye contact Direct contact with eyes may cause temporary irritation.

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious Ingestion

chemical pneumonia.

Aspiration may cause pulmonary oedema and pneumonitis. Be aware that symptoms of chemical Symptoms

pneumonia (shortness of breath) may occur several hours after exposure. Defats the skin.

Exposed individuals may experience eye tearing, redness, and discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May be fatal if swallowed and enters airways. Acute toxicity

Product Species Test Results LHM+ (CAS Mixture) **Acute**

Dermal

LD50 Rabbit > 3000 mg/kg

Oral

LD50 Rat > 5000 mg/kgComponents **Species Test Results**

(4-nonylphenoxy)acetic acid (CAS 3115-49-9)

Acute Oral

LD50 Rat 1674 mg/kg

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation The product contains a small amount of sensitising substance which may provoke an allergic

reaction among sensitive individuals.

Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Lubricating oils (petroleum), C15-30, hydrotreated neutral 3 Not classifiable as to carcinogenicity to humans.

oil-based (CAS 72623-86-0)

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

Aspiration hazard May be fatal if swallowed and enters airways.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

Expected to be inherently biodegradable.

No data available for this product. 12.3. Bioaccumulative potential

Partition coefficient

n-octanol/water (log Kow)

Not available.

Not available. **Bioconcentration factor (BCF)**

The product is insoluble in water. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Oil spills are generally hazardous to the environment. 12.7. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

EU waste code 13 01 13*

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Hazard No. (ADR) Not assigned. **Tunnel restriction code** Not assigned. 14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

RID

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

ADN

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Not assigned.

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IATA

Not regulated as dangerous goods. 14.1. UN number 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk

Not assigned. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not assigned.

for user

IMDG

14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods.

14.3. Transport hazard class(es)

Not assigned. Class

LHM+ SDS Germany 957459 Version #: 01 Revision date: -Issue date: 21-March-2023

Subsidiary risk

14.4. Packing group Not assigned.

14.5. Environmental hazards

Marine pollutant No.

EmS Not assigned.

14.6. Special precautions Not assigned.

for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

National regulations

TA-LUFT 5.2.5 (Organic Substances)

Water hazard class

AwSV WGK1

15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

DNEL: Derived No-Effect Level.

IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods.

IMO: International Maritime Organization.

LD50: Lethal Dose, 50%.

PBT: Persistent, bioaccumulative and toxic. PNEC: Predicted No-Effect Concentration.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative. HSDB® - Hazardous Substances Data Bank

ECHA: European Chemical Agency.

Registry of Toxic Effects of Chemical Substances (RTECS)

Information on evaluation method leading to the classification of mixture

References

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This SDS contains revisions in the following section(s):

2, 3, 6, 7, 8, 11, 12, 16.

Training information

Follow training instructions when handling this material.

Disclaimer

The information provided on this data sheet was abstracted from supplier safety data sheets and standard references in occupational health and toxicology. Federal-Mogul makes no representation or warranty with respect to the information obtained from such references. The information is however, as of the date provided, true and accurate to the best of Federal-Mogul's knowledge, and should be used to make an independent determination of the methods to

safeguard workers and the environment.